

**RFQ NUMBER** : 2012503805

**DATE** : 29.07.2025

**REQ No** : 1012504042

**REQ TITLE** : DIAPHRAGM KIT - FOR PH1

**DELIVERY LOCATION**: 0003 - D STORE - SPARES

**CLOSING DATE** : 08.08.2025

CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	3700037002		DIAPHRAGM KIT; ACTUATOR, SIZE-8 INCH, TYPE-GLOBE, VALVE BODY-WC6, CLASS-1500LBS, VALVE CV-28.6/80, STRIM/STEM SIZE-6#/1#, TYPE OF ACTUATOR - PNEUMATIC, ACTUATOR SIZE-160 SQUIRE INCH, AIR FAIL TO OPEN, AIR PRESSURE-4.9BAR, INLET PRESSURE 130/108-116, OUTLET PRESSURE 98/91 V A LVE TAG NO-CV-101 FOR MAIN FEED WATER LINE CONTROL VALVEOF PH-1 BOILERS. OEM: GADELIUS- CCI VALVE TECHNOLOGY	1	EA				
2	3700037003		DIAPHRAGM KIT; ACTUATOR SIZE-3 INCH, TYPE-GLOBE, VALVE BODY- WC6, CLASS-1500LBS, VALVE CV-25.8 / 36, STRIM/STEM SIZE-1-1/2"/1#, TYPE OFACTUATOR- PNEUMATIC, ACTUATOR SIZE-160 SQUARE INCH, AIR FAIL TO OPEN, AIRPRESSURE-5.0 BAR, INLET PRESSURE 130/115-120, OUTLET PR E SSURE 91/90, VALVE TAG NO- CV-102 FOR START-UP FEED WATER CONTROL VALVE OF PH-1BOILERS. OEM: GADELIUS- CCI VALVE TECHNOLOGY	1	EA				



**RFQ NUMBER** : 2012503805

**DATE** : 29.07.2025

**REQ No** : 1012504042

**REQ TITLE** : DIAPHRAGM KIT - FOR PH1

**DELIVERY LOCATION**: 0003 - D STORE - SPARES

**CLOSING DATE** : 08.08.2025

CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
3	3700037027		DIAPHRAGM KIT; ACTUATOR SIZE- 4" INCH, TYPE-GLOBE, VALVE BODY- WC-6, CLASS-1500LBS, VALVE CV- 23 /28 , STRIM/STEM SIZE- 2/1#, TYPE OF ACTUATOR- PNEUMATIC, ACTUATOR SIZE-160 SQUARE INCH, AIR FAIL TO SHUT, AIR PRESSURE-4.9 BAR, INLET PRESSURE 105/94.7-92.3, OUTLET PRESSURE 12KG, VALVE TAG NO- CV-105 A FOR AUX. STEAM PRESSURE CONTROL VALVE (LARGE) OF PH-1 BOILERS. OEM: GADELIUS- CCI VALVE TECHNOLO GY		EA				
4	3700037028		DIAPHRAGM KIT; ACTUATOR SIZE- 1" INCH, TYPE-GLOBE, VALVE BODY- F11, CLASS-1500LBS, VALVE CV- 2.14 / 5.0, STRIM/STEM SIZE- 6E/1" TYPE OFACTUATOR- PNEUMATIC, ACTUATOR SIZE-100 SQUARE INCH, AIR FAIL TO SHUT, AIRPRESSURE-2.4 BAR, INLET PRESSURE 105/92.3, OUTLET PRES S URE 12 KG, VALVE TAG NO- CV-105 B FOR AUX. STEAM PRESSURE CONTROL VALVE (SMALL) OFPH-1 BOILERS. OEM: GADELIUS- CCI VALVE TECHNOLOGY	1	EA				
5	3700037004		DIAPHRAGM KIT; ACTUATOR SIZE- 2-1/2" INCH, TYPE- GLOBE, VALVE BODY- WC6, CLASS-1500LBS,	1	EA				



**RFQ NUMBER** : 2012503805

**DATE** : 29.07.2025

**REQ No** : 1012504042

**REQ TITLE** : DIAPHRAGM KIT - FOR PH1

**DELIVERY LOCATION** : 0003 - D STORE - SPARES

**CLOSING DATE** : 08.08.2025

CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			VALVE CV- 14.1 / 20.2,STRIM/STEM SIZE- 1-1/8 "/1#,TYPE OFACTUATOR- PNEUMATIC, ACTUATOR SIZE-160 SQUARE INCH,AIR FAIL TO SHUT, AIRPRESSURE-4.9 BAR, INLET PRESSURE 130/105.8-112, OUTLET PRESSURE93.1/93.5, VALVE TAG NO- CV-103 FOR SUPER HEATER SPRAY CONTROL VALVE OFPH-1 BOILERS. OEM: GADELIUS- CCI VALVE TEC HN OLOGY						

TOTAL AMOUNT IN WORDS: TOTAL AMOUNT:

#### **SPECIAL NOTES / INSTRUCTIONS:**

DIAPHRAGM KIT - FOR PH1 BOILER CONTROL VALVES.

**OEM- GADELIOUS** 

OEM ORIGINAL SPARES IS ONLY ACCEPTABLE.

CONTACT- ASHOKGIRI-0529174058/ashokgiri.gunsai@dewa.gov.ae

#### **STANDARD TERMS & CONDITIONS**



**RFQ NUMBER** : 2012503805

**DATE** : 29.07.2025

**REQ No** : 1012504042

**REQ TITLE** : DIAPHRAGM KIT - FOR PH1

**DELIVERY LOCATION**: 0003 - D STORE - SPARES

**CLOSING DATE** : 08.08.2025

CLOSING TIME : 10:00:00

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

SUPPLIER'S REMARKS:

SUPPLIER'S SIGNATURE AND STAMP