

**RFQ NUMBER** : 2012503874

**DATE** : 04.08.2025

**REQ No** : 1012504129

**REQ TITLE** : SUPPLY OF SPARES FOR

**DELIVERY LOCATION**: 0022 - M STORE

**CLOSING DATE** : 08.08.2025

CLOSING TIME : 10:00:00

| SL NO | ITEM CODE  | SERVICE ID | DESCRIPTION   | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL<br>PRICE |
|-------|------------|------------|---|-----|-----|--------------|----------|------------|----------------|
| 1     | 3600081443 |            | CYLINDER VALVE ASSEMBLY; FOR FM200 CYLINDER FIREFIGHTING SYSTEM; SIZE:80MM(3IN); CONNECTION: GROOVED; CYLINDER WEIGHT: 15.5KG; CYLI NDERWORKING PRESSURE: 25 TO 42 BAR; CYLINDER PROOF PRESSURE: 69BAR, BURSTPRESSURE- 138 BAR; TEMPERATURE RANGE- (-18° C TO +55° C) ;SAFETYDISCHARGE RATING: 55 BAR NORMAL;VALVE BODY & PISTON; MATERIAL: BRASS(NATURAL FINISH); VALVE SEAT- RUBBER, DOC NO.: CNE/001/20 06-M-38-M-H-04366; MANUFACTURER- KIDDE UK. | 4   | EA  |              |          |            |                |
| 2     | 3600081444 |            | SWING CHECK VALVE ASSEMBLY:FOR FM200<br>CYLINDER FIREFIGHTINGSYSTEM;SIZE:80NB;<br>PRESSURE:43 BAR 55° C;VALVE BODY &<br>COVERMATERIAL:BRAS S<br>;HEX.BOLTS, HINGE AND HINGE PIN:STAINLESS<br>STEEL, DOC NO.:CNE/001/2006-M-38-M-H-04366,<br>MANUFACTURER- KIDDE UK.   | 4   | EA  |              |          |            |                |
| 3     | 3600081445 |            | PRESSURE OPERATED CONTROL HEAD: FOR FM200 CYLINDER FIREFIGHTINGSYSTEM; CONNECTION TO VALVE:1  | 6   | EA  |              |          |            |                |



**RFQ NUMBER** : 2012503874

**DATE** : 04.08.2025

**REQ No** : 1012504129

**REQ TITLE** : SUPPLY OF SPARES FOR

**DELIVERY LOCATION**: 0022 - M STORE

**CLOSING DATE** : 08.08.2025

CLOSING TIME : 10:00:00

| SL NO | ITEM CODE  | SERVICE ID | DESCRIPTION  | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL<br>PRICE |
|-------|------------|------------|--|-----|-----|--------------|----------|------------|----------------|
|       |            |            | 1/4"-18 UNEF-38 FEMALE CONNECTION;PRESS<br>URECONNECTION:1/8" NPT(F); APPROXIMATE<br>WEIGHT: 0.3KG;BODY;RETAINING NUT &PISTON<br>MATERIAL:BRASS; DOC NO.:<br>CNE/001/2006-M-38-M-H-043 6<br>6MANUFACTURER- KIDDE UK.   |     |     |              |          |            |                |
| 4     | 3600081446 |            | FLEXIBLE ACTUATION HOSES:FM200 CYLINDER FIREFIGHTING SYSTEM;LENGTH:760MM, WEIGHT: 01.KG;MINIMUM BRUST PRESSURE:347 BAR; MINIMUMBE ND RADIUS: 64MM; HOSE INTERNAL DIAMETER: 6.35MM; MATERIAL/HOSE: CRES.WIRE BRAIDED;TAFFLON LINING; COUPLING:BRASS; DOC NO.: CNE/001/2 006-M-38-M-H-04366; MANUFACTURER- KIDDE UK. | 30  | EA  |              |          |            |                |
| 5     | 3600081447 |            | LEVER OPERATED CONTROL HEAD: FOR FM200<br>CYLINDER FIREFIGHTING<br>SYSTEM,MATERIAL:STAINLESS STEEL LEVER &<br>BRASS BODY;WEIGHT: APPROX 0.36<br>KG;DOCNO.: CNE/001/2006-M-38-M-H-04366;<br>MANUFACTURER- KIDDE UK.   | 6   | EA  |              |          |            |                |
| 6     | 3600081448 |            | DISCHARGE NOZZLE 360°: FOR FM200 CYLINDER FIREFIGHTING SYSTEM, PIPESIZE:DN40 1 1/2IN,  | 6   | EA  |              |          |            |                |



**RFQ NUMBER** : 2012503874

**DATE** : 04.08.2025

**REQ No** : 1012504129

**REQ TITLE** : SUPPLY OF SPARES FOR

**DELIVERY LOCATION**: 0022 - M STORE

**CLOSING DATE** : 08.08.2025

CLOSING TIME : 10:00:00

| SL NO | ITEM CODE  | SERVICE ID | DESCRIPTION  | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL<br>PRICE |
|-------|------------|------------|--|-----|-----|--------------|----------|------------|----------------|
|       |            |            | DIMENTION: A-63.50MM;B-50.75MM;C-74.50MM;D-63.50MM,CONNECTION: BSP TO BS 21, ORIFICE: BASED ON DESIGN CALCULATION, TYPE OF MOUNTING: PENDENT, MATERIAL: BRASS, WEIGHT:1.1KG, DO CNO.: CNE/001/2006-M-38-M-H-04366, MANUFACTURER- KIDDE UK.   |     |     |              |          |            |                |
| 7     | 3600081449 |            | DISCHARGE NOZZLE 180°: FOR FM200 CYLINDER FIREFIGHTING SYSTEM, PIPESIZE:DN40 1 1/2IN; DIMENTION: A-63.50MM;B-49.00MM;C-75.00MM;D-92.2MM, CONNECTION: BSP TO BS 21, ORIFICE: BASED ON DESIGN CALCULATION, TYPE OFMOUNTING: PENDENT, MATERIAL: BRASS, WEIGHT:1.1KG, D O C NO.:CNE/001/2006-M-38-M-H-04366, MANUFACTURER- KIDDE UK. | 4   | EA  |              |          |            |                |
| 8     | 3600086244 |            | SAFETY VALVE FOR FM 200 CYLINDER; TYPE: 1.313 INCH FSTD; MATERIAL: 316; BURST PRESSURE RATING 62 BAR.G (MIN) AT 22 DC & 69 BAR.G (MAX) AT 22DC; AREA/CAP: 284.9 MM2; ADDITIONAL INFO: 06-236210-001, USE IN OUTHOLDER; OSECO; 1.800.395 DISK, REORDER NUMBER 6266-2-1, EN41 26-2; OEM-KIDDIE; APPLICATION: FOR FM-200® FIRE      | 4   | SET |              |          |            |                |





**RFQ NUMBER** : 2012503874

**DATE** : 04.08.2025

**REQ No** : 1012504129

**REQ TITLE**: SUPPLY OF SPARES FOR

**DELIVERY LOCATION**: 0022 - M STORE

**CLOSING DATE** : 08.08.2025

CLOSING TIME : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION  | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL<br>PRICE |
|-------|-----------|------------|--|-----|-----|--------------|----------|------------|----------------|
|       |           |            | SUPPRESSION SYSTEM;KKS:<br>00SGK00BB001/2/3/4,00SGK01BB001/2/3/4/5/6/7/8,00S<br>GK02BB001/ 2 |     |     |              |          |            |                |
|       |           |            | /3/4/5/6,00SGK03BB001/2,00SGK04BB001/2/3/4/5/6/7/8<br>,00SGK05BB001/2/3/4/5/6                |     |     |              |          |            |                |

TOTAL AMOUNT IN WORDS: TOTAL AMOUNT:

### **SPECIAL NOTES / INSTRUCTIONS:**

SUPPLY OF SPARES FOR FM-200 FIRE FIGHTING SYSTEM AT M-STATION JABEL ALI

( COC FROM mANUFACTURER KIDDE IS MANDATORY )

CONTACT: ashil.prabhakar@dewa.gov.ae / +971-43226179

## **STANDARD TERMS & CONDITIONS**

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.



**RFQ NUMBER** : 2012503874

**DATE** : 04.08.2025

**REQ No** : 1012504129

**REQ TITLE** : SUPPLY OF SPARES FOR

**DELIVERY LOCATION**: 0022 - M STORE

**CLOSING DATE** : 08.08.2025

**CLOSING TIME** : 10:00:00

SUPPLIER'S REMARKS:

SUPPLIER'S SIGNATURE AND STAMP